



## EVENING STAR BRACELET

by Rangashrii Santhanam

www.shriidesignsllc.com



*Shrii Designs*



Paisley Duos come together to make an ethereal bracelet!

**Project Level:** Intermediate and up

**Techniques Used:** Bead weaving with multi hole beads and netting stitch

**Finished Size:** 7 inch including clasp

### MATERIALS

4g size 15° seed beads (color A)

3g size 15° seed beads (color B)

1g size 11° seed beads

5 size 14mm rivoli

40 Paisley Duos

34 size 3mm fire polish rounds

40 size 4mm bicones (color 1)

20 size 4mm bicones (color 2)

Clasp of choice

6lb. Fireline or D weight beading thread

Size 12 beading needles


Thread zap or scissors

Please respect my designs by not reselling or altering my patterns in any way. Do not replace or modify text, images, names, logos, or URLs. Feel free to recreate this design for personal use and limited sales but not for mass production.

Permission to teach this pattern is exclusive to customers of The Beadsmith.

## DESIGNER TIPS:

- Check that all the bead holes are open before you begin stitching with multi-hole beads.
- The stringing orientation of the Paisley Duos are designated as wide convex or concave and tip convex or concave.
- Each component measures approximately one-inch in diameter.



## BEZEL COMPONENT

### FIGURE 1

**Step 1.** Attach 30" of thread to a needle. Pick up two Paisley Duos (wide convex hole and wide concave hole) and one 3mm fire polish four times. Sew through all the beads again, tie a double knot leaving a tail (to weave in later) and exit through a 3mm between two Paisleys.

### FIGURE 2

**Step 2.** Pick up four color A 15°s (15°A), one color B 15°s (15°B), four 15°As and sew through the next 3mm (Fig. 2.1). Repeat three more times and exit the middle 15°B of the first set of beads you added in this step (Fig. 2.2).

### FIGURE 3

**Step 3.** Pick up one 15°B, one 15°A, one 15°B and sew through the next middle 15°B added in Step 2 (Fig. 3.1). Repeat three more times to complete the round. Reinforce the thread path once more skipping the middle 15°Bs of Step 2. Weave to exit a 3mm (Fig. 3.2). This completes the back of the bezel.

### FIGURE 4

**Step 4.** Pick up two 15°As, one color 1 bicone (BC1), one 15°A, one BC1, two 15°As and sew through the next 3mm (Fig. 4.1). Repeat three more times and exit the first step of 15°s and BC1s added in this step (Fig. 4.2).

### FIGURE 5

**Step 5.** Pick up one 11° and sew through the next BC1-15°A-BC1 (Fig. 5.1). Repeat three more times, add a rivoli in face up and pull the thread tight. Reinforce the thread path once more and weave through to exit a 3mm (Fig. 5.2).

### FIGURE 6

**Step 6.** Pick up four 15°As and sew through the top hole of the next Paisley (tip).

### FIGURE 7

**Step 7.** Pick up one 15°A, one color 2 bicone, one 15°A and sew through the next Paisley.

### FIGURE 8

**Step 8.** Pick up four 15°As and sew through the next 3mm (Fig. 8.1). Repeat Steps 6-8 all the way around. Weave to exit the four 15°As towards a 3mm (Fig. 8.2). Reinforce the thread path once more but instead of going sewing through the 3mm, pick up one 11° and sew through the next set of 4A. Repeat all the way around the component and exit the four 15°As before a Paisley (Fig. 8.3). The component is complete.

**Step 9.** Repeat Steps 1 through 8 to complete the desired number of components to complete the bracelet.

Please respect my designs by not reselling or altering my patterns in any way. Do not replace or modify text, images, names, logos, or URLs. Feel free to recreate this design for personal use and limited sales but not for mass production. Permission to teach this pattern is exclusive to customers of The Beadsmith.

## CONNECT THE BEZEL COMPONENTS

### FIGURE 9

**Step 10.** Align two components next to each other with a pair of Paisleys without bicones. Exiting the four 15°As of one component, pick up one 3mm and sew through the matching four 15°As of the second component. Continue the next 11° and four 15°As of the same component. Pick up one 3mm and sew through the four 15°As, one 11° and four 15°As of the first component. Reinforce the thread path once more.

### FIGURE 10

**Step 11.** Repeat Step 10 to connect the remaining components.

## ATTACH THE CLASP


### FIGURE 11

**Step 12.** Exiting the four 15°A of an end component, pick up two 15°As, one 3mm, two 15°As and sew back through the four 15°s, one 15°B and four 15°As. Reinforce the thread path once more and exit the 3mm just added.




### FIGURE 12

**Step 13.** Pick up one 3mm, one 11°, one half of the clasp, 11°, one 3mm and sew back through the 3mm from Step 12. Reinforce the thread path twice more, weave in the thread with half hitch knots and trim it.




**Step 14.** Repeat Step 13 to attach the other half of clasp to the other end of the bracelet.



Please respect my designs by not reselling or altering my patterns in any way. Do not replace or modify text, images, names, logos, or URLs. Feel free to recreate this design for personal use and limited sales but not for mass production. Permission to teach this pattern is exclusive to customers of The Beadsmith.



Please respect my designs by not reselling or altering my patterns in any way. Do not replace or modify text, images, names, logos, or URLs. Feel free to recreate this design for personal use and limited sales but not for mass production. Permission to teach this pattern is exclusive to customers of The Beadsmith.



Please respect my designs by not reselling or altering my patterns in any way. Do not replace or modify text, images, names, logos, or URLs. Feel free to recreate this design for personal use and limited sales but not for mass production. Permission to teach this pattern is exclusive to customers of The Beadsmith.